



Long products **Flat Bars**


Technical information

Płaskowniki

Normy: EU 79-69; EN 10058: 2003 (Wąskie);
 PN-EN 10058:2005 (Wąskie); EU 91-81 (Szerokie)

Flat bars

Standards: EU 79-69 and EN 10058: 2003 (Narrow flats);
 PN-EN 10058:2005 (Narrow flats); EU 91-82 (Wide flats)



		Masa Mass kg/m														
Szerokość Width b mm		Grubość Thickness a mm														
		3	4	5	6	8	10	12	15	16	18	20	25	30	35	40
Wąskie płaskowniki Narrow flats	20	0,47	0,63	0,79	0,94	1,26	1,57									
	25	0,59	0,79	0,98	1,18	1,57	1,96									
	30	0,71	0,94	1,18	1,41	1,88	2,36									
	35	0,82	1,1	1,37	1,65	2,2	2,75									
	40		1,26	1,57	1,88	2,51	3,14	3,77	4,71	5,02	5,65	6,28	7,85	9,4		
	45		1,41	1,77	2,12	2,83	3,53	4,24	5,30	5,65	6,36	7,07	8,83	10,6		
	50		1,57	1,96	2,36	3,14	3,93	4,71	5,89	6,28	7,07	7,85	9,81	11,8	13,7	15,7
	60			2,36	2,83	3,77	4,71	5,65	7,07	7,54	8,48	9,42	11,80	14,1	16,5	18,8
	70			2,75	3,30	4,40	5,50	6,59	8,24	8,79	9,89	11,00	13,70	16,5	19,2	22,0
	80			3,14	3,77	5,02	6,28	7,54	9,42	10,00	11,30	12,60	15,70	18,8	22,0	25,1
	90			3,53	4,24	5,65	7,07	8,48	10,60	11,30	12,70	14,10	17,70	21,2	24,7	28,3
	100			3,93	4,71	6,28	7,85	9,42	11,80	12,60	14,10	15,70	19,60	23,6	27,5	31,4
	120				5,65	7,54	9,42	11,30	14,13	15,07	16,96	18,84				
	140				6,59	8,79	10,99	13,19	16,49	17,58	19,78	21,98				
	150				7,07	9,42	11,78	14,13	17,66	18,84	21,20	23,55				
Szerokie płaskowniki Wide flats	160				10,05	12,56	15,07	18,84	20,10	22,61	25,12					
	180				11,30	14,13	16,96	21,20	22,61	25,43	28,26					
	200				12,56	15,70	18,84	23,55	25,12	28,26	31,40					
	220							25,91	27,63	31,09	34,54	43,18	51,8			
	250							29,44	31,40	35,33	39,25	49,06	58,9			