

KOMO® Product certificate **K62295/03**



Issued

2020-12-11

Replaces

K62295/02

Valid until

Indefinite

Dated

2014-12-08



Page

1 of 3

Steel for reinforcement of concrete B500C: coils

Celsa Huta Ostrowiec Sp. Z.o.o.

STATEMENT BY KIWA

This product certificate is based on Guideline/BRL 0501 "Steel for the reinforcement of concrete" (Betonstaal)" dated 01 September 2010 inclusive amendment sheet dated 12 December 2018, issued according to the Kiwa-Regulation for Certification.

The quality system and the product characteristics of this product are checked periodically. Based on this, **Kiwa declares that** there is legitimate confidence that:

Upon delivery, the product supplied by the certificate holder meets the requirements:

- · Of the technical specifications laid down in this product certificate,
- The product requirements laid down in the Guideline/BRL 0501.

Provided the product is accompanied by the KOMO® quality mark in the manner set out in this product certificate.

Ron Scheepers

Kiwa

This product certificate is also included on the KOMO foundation websites: www.komo.nl and www.komo-online.nl.

Users of this product certificate is advised to check whether it is still valid. For this purpose consult the website of Kiwa:

www.kiwa.nl.

Kiwa Nederland B.V. Sir Winston Churchilllaan 273 Postbus 70 2280 AB. RLISWLIK

2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl

Certificate holder

Celsa Huta Ostrowiec Sp. Z.o.o UI. Samsonowicza 2 27-400 OSTROWIEC SWIETOKRZYSKI Polen Tel. +48 41 249 30 00 celsaho@celsaho.com www.celsaho.com



Assessed is:

Quality system

• Product

Periodic control

Steel for the reinforcement of concrete B500C: coils

1 TECHNICAL SPECIFICATION

This product certificate relates to the product characteristics of Steel for the reinforcement of concrete, B500C: (coils). The products are intended for use in concrete structures.

The following products are covered by this product certificate:

Classification

: B500C

Production method

: Hot rolled / water cooled

Nominal size

: 12 - 14 and 16 mm

Delivery condition

: coils (compact spooled)

2 QUALITY MARK AND INDICATIONS PLACED ON THE PRODUCTS

The products are marked with a label with upon it at least on a clear and indelible way:

 The KOMO® indication or the KOMO® quality mark followed by the certificate number. The official KOMO quality mark is shown and executed as follows:



K62295


- The classification B500C
- BRL 0501
- Diameter
- The rolling mark
- Production code (heat number / cast number / coil number) or production date
- · Factory brand or factory name

At least one label per coil / bundle of bars / package of welded fabrics is required.


Steel for the reinforcement of concrete is marked on the following way: On two rib rows by means of thickened ribs, with the code (1-17).

Position of the rolling mark: at intervals of ± 1 m. The position of the transverse ribs may also be reversed.

B500C







(1-17)

3 PRODUCT CHARACTERISTICS

The product meets the product characteristics as laid down in Guideline/BRL 0501.

4 TIPS FOR THE USER

Check on delivery of the products listed under the "technical specification" whether:

- The product(s) and material(s) ordered are delivered in accordance with the agreement you made.
- The brand and the method of marking is correct
- No defects or damage is visible (for example, resulting from the transportation).



KOMO® Product certificate

page 3 of 3

Steel for the reinforcement of concrete B500C: coils

If on the basis of the foregoing you decide to proceed to rejection, please contact

Celsa Huta Ostrowiec Sp. Z.o.o.

And if necessary,

Kiwa Nederland B.V.

Consult NEN-EN 13670 for the correct method of storage, transport and processing.

Consult the website www.kiwa.nl to check whether this product certificate is still valid.

LIST OF DOCUMENTS

NEN 6008

: Betonstaal

NEN-EN 13670 : Het vervaardigen van betonconstructies

* For the actual version of the standards see the latest version of the BRL 0501 or latest amendment sheet.

